

NOTES AND SPECIFICATIONS

- GENERAL**
- 1 ALL MATERIAL AND WORKMANSHIP MUST COMPLY WITH THE REQUIREMENTS OF THE LATEST RELEVANT SABS REQUIREMENTS.
 - 2 ALL DIMENSIONS ARE IN MILLIMETRES. (UNLESS OTHERWISE SPECIFIED)
 - 3 DO NOT SCALE FROM THESE DRAWINGS.
 - 4 ALL DIMENSIONS MUST BE CHECKED AND APPROVED ON SITE.
 - 5 ALL CONSTRUCTION TO BE DONE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR MUNICIPAL CIVIL ENGINEERING WORKS, THIRD EDITION 2005 AND THE STANDARD COT DETAIL DRAWINGS
 - 6 THESE DRAWINGS MUST BE READ IN CONJUNCTION WITH THE ARCHITECTS DRAWINGS (IF APPLICABLE)
 - 7 THIS DRAWING MUST BE READ IN CONJUNCTION WITH THE STANDARD SPECIFICATIONS FOR MUNICIPAL CIVIL ENGINEERING WORKS, SERIES 4.
 - 8 THE SIGNATURE OR INITIALS ON THIS DRAWING, OF ANY MANAGER OF THE PUBLIC WORKS AND INFRASTRUCTURE DEVELOPMENT DEPARTMENT, IN NO WAY REMOVES ANY RESPONSIBILITY WHATSOEVER FROM THE CONSULTANT.
 - 9 THE CONSULTANT REMAINS RESPONSIBLE TO ENSURE THAT ALL THE GUIDELINES, STANDARD DRAWINGS, STANDARDS AND SPECIFICATIONS OF THE PUBLIC WORKS AND INFRASTRUCTURE DEVELOPMENT DEPARTMENT HAVE BEEN MET AND ARE COMPLIED WITH.
 - 10 FINAL POSITION OF SERVICES TO BE DETERMINED ON SITE.

NOTES AND SPECIFICATIONS WATER AND SANITATION


1. ALL EXISTING CONNECTIONS TO BE MOVED TO NEW LINE IF REQUIRED.
2. ALL PIPES TO BE CLASS 34 SOLID-WALL PVC PIPES (MAINCORE OR MANLITE OR SIMILAR APPROVED).

- SANITATION**
- MANHOLE
 - CE / LE
 - NEW CCTV INSPECTION
 - EXIST. LINE INSPECTED BY CCTV
 - NEW SEWER LINE
 - EXISTING SEWER LINE

Servitudes to be registered by Land Surveyor Harald Wattras

RECORD DRAWING	
And final inspection by	
S.J. Pearse (print name)	(signature)
9570061 (print Prof Reg No)	2013-04-24 (date)

No.	Date	Amendments	Sign
Z	2013 Apr 24	Record Drawing	
T	2012 Apr 14	Issued for Construction	
B	2011 Oct 24	Issued for Approval	
A	2011 Sep 05	Issued for Information	



consulting engineers & project managers

Gauteng

Belvedere Place
No. 5 Eglon Road
Sunninghill
JOHANNESBURG
+27 11 236 3300 Tel
+27 11 807 8535 Fax

1255 Embankment Road
Inkwaazi Office Park
Block D
CENTURION
+27 12 679 9300 Tel
+27 12 670 9307 Fax

Designed by	L. Kolanhu
Checked by	S.J. Pearse
Drawn by	L. Kolanhu
Checked By	

Note: Unless this Drawing has been signed by a Registered Professional it is issued for information only.

Design Approved	Approved by
For Consulting Engineer Pr Eng no. 9570061 Date 24 April 2013	For Client Date

Chloorkop Extensions 66

General Layout Sewer Reticulation

Client
LORD TRUST

File No. 20617	District Ekurhuleni	Type of Design Water & Sanitation
Scale Hor :- 1 : NTS	Area Chloorkop	Drawing No. Rev. Z 20617/66/01/100/401